



TRACKING AUDITORY PROGRESS in Children With CIs

By Amy M. Robbins

What are the auditory benchmarks for average progress in CI children during the first year of implant use? Auditory benchmarks have been established independently for the following three groups of children, based upon research findings and clinical experience.^{1,3-6} These groups are:

GROUP 1: Children implanted in the preschool years (age four or earlier).

GROUP 2: Children implanted at age five or later who have some residual hearing/speech perception skills, have consistently worn hearing aids, and communicate primarily through speech.

GROUP 3: Children implanted at age five or later who have little or no residual hearing/speech perception skills and are highly dependent on sign and other visual cues for language learning.

The benchmarks shown for each of the three groups in Tables 1, 2, and 3 are based on data collected and reported by the investigators cited above.

*Note that full-time implant use is an unconditional prerequisite to auditory development. If a child is not wearing the implant during all waking hours—at home, school, and other activities, these benchmarks are not applicable. *Children who fail to bond to their device and wear it full-time within a few weeks of initial stimulation may exhibit insufficient progress and are at high risk of becoming nonusers of their implants.*

Tracking Auditory Progress in CI Kids

Note: Child is credited only for skills in listening-alone conditions. Spontaneous means without prompting or modeling and when not in a listening set.

Time post-implant child should demonstrate the skill

Table 1 GROUP 1 Children implanted at age four years or earlier

Skill	1 mo.	3 mos.	6 mos.	9 mos.	12 mos.
1. Full-time use of CI					
2. Changes in spontaneous vocalizations with CI use					
3. Spontaneously alerts to name 25% of time					
4. Spontaneously alerts to name 50% of time					
5. Spontaneously alerts to a few environmental sounds					
6. Performance in audio booth consistent with what is reported at home					
7. Evidence of deriving meaning from many speech and environmental sounds					
8. Major improvement in language					

Table 2 GROUP 2 Children implanted at age five years or older (Some residual hearing, consistent HA use prior to CI, primarily oral)

Skill	1 mo.	3 mos.	6 mos.	9 mos.	12 mos.
1. Full-time use of CI					
2. Understands some words or phrases closed-set					
3. Understands many words or phrases closed-set					
4. Spontaneously alerts to name 50% of time					
5. Understands familiar phrases in everyday situations when listening auditory alone					
6. Spontaneous recognition of own name versus names of others					
7. Knows meaning of some environmental or speech signals when heard auditory only					
8. Major improvement in language					

Table 3 GROUP 3 Children implanted at age five years or older (Limited or no residual hearing, limited or no HA use, heavily rely on visual cues or signs)

Skill	1 mo.	3 mos.	6 mos.	9 mos.	12 mos.
1. Full-time use of CI					
2. Begins to discriminate patterns of speech (syllable number, stress, length, etc.)					
3. Understands some words in closed set					
4. Begins to spontaneously respond to name					
5. Reports when device is not working (e.g., dead battery)					
6. Understands many words or phrases in closed set					
7. Understands a few things open-set					
8. Major improvement in language					

IDENTIFYING RED FLAGS

By Amy M. Robbins

Why identify Red Flags?

The acquisition of listening is a developmental process that involves a sequence of cumulative skills—one skill depends on the acquisition of earlier skills. For this reason, delays early in listening development often lead to long-term delays, and long-term delays usually lead to life-long deficits. Clinicians should be familiar with the range of progress in typical children with implants so they are comfortable raising a Red Flag when a child’s performance lags behind that of his/her peers. However, it is important to note that what we term a Red Flag is not a diagnosis of a problem or a statement of permanent disability, but a notice to pay attention to the skill.



What is considered a Red Flag?

Based on the auditory benchmarks provided on the front side of this card, a Red Flag is a delay in a particular skill of three months or more. It is important to remember raising a Red Flag is an expression of mild concern. The number of Red Flags raised is based on the length of the delay and the number of skills delayed. Therefore, the greater the number of skills that are delayed at an interval, the more substantial the concern.

What do we do about Red Flags?

There is little value in raising a Red Flag for a listening skill unless we can suggest ways to monitor and improve that skill. Remember that a clinical Red Flag is not a diagnosis of a problem, but an indication that increased attention needs to be given to a specific skill area. Below is a table that provides you with tips on how to respond to Red Flags.

Responding to Red Flags

TABLE 4: HOW TO RESPOND TO ONE RED FLAG 	TABLE 5: HOW TO RESPOND TO TWO RED FLAGS 
<input checked="" type="checkbox"/> Share ideas with child’s parent	<input checked="" type="checkbox"/> Share concern with child’s parent
<input checked="" type="checkbox"/> Confirm child wears CI during waking hours	<input checked="" type="checkbox"/> Confirm child wears CI during waking hours
<input checked="" type="checkbox"/> Contact CI center regarding possible equipment/programming changes	<input checked="" type="checkbox"/> Contact CI center regarding equipment/programming changes
<input checked="" type="checkbox"/> Assess that home/school environment creates a need for child to use the skill	<input checked="" type="checkbox"/> Utilize any one-flag response
<input checked="" type="checkbox"/> Verify that prerequisites to a skill are adequately established	<input checked="" type="checkbox"/> Change in teaching methods/techniques
<input checked="" type="checkbox"/> Break down skill into smaller steps, and teach those steps	<input checked="" type="checkbox"/> Add sensory modality
<input checked="" type="checkbox"/> Use different materials/teach the skill in another way	<input checked="" type="checkbox"/> Consult with a colleague for new ideas
<input checked="" type="checkbox"/> Increase the intensity of training toward the skill	<input checked="" type="checkbox"/> Refer for learning profile testing
<input checked="" type="checkbox"/> Write plan of action/check every month for three months	<input checked="" type="checkbox"/> Refer to specialists to rule out additional disabilities

Reference: Robbins AM. Clinical red flags for slow progress in children with cochlear implants, *Loud & Clear*. Valencia, Calif: Advanced Bionics; 2005:1.